








Adjustable Pedestal



General Features

Adjustable height	From 15 mm to 500 mm
Loading capacity	Minimum 1000 kg/pedestal (Central loading)
Materiel	Polypropylene (PP)
UV Resistance	
Slope correction	0%-15% (multithreaded 2%-3% elevation wedge)
Recycling	100%
Low temperature reaction	:-20 C
Sound insulation	25 DB
Fire reaction	Class E
Base	Diameter 200 mm, bottom base 314 cm2
Top	Diameter 120 mm, top base 113 cm2
Lifting	Diameter 104 mm
	Easy installation, disassembling and portability Fast drainage (open joint system) Design elasticity Service capacity for installation Service life : Thermoplastic for material





SPF1 SPF2 SPF3 SP15-30 SP0 SP1 SP2 SP3 SP3a SP4 SP4a SP5a SP6a SP7a SP8a

SP4a+ 1 SPR SP4a+ 2 SPR SP4a+ 3 SPR SP4a+ 4 SPR

Adjustable pedestals	
Code	Adjustment of Height
SP15-30	15-30 mm
SP0	26-35 mm
SP1	35-50 mm
SP2	50-80 mm
SP3	80-110 mm
SP3a	80-140 mm
SP4	140-200 mm
SP4a	140-260 mm
SP5a	200-320 mm
SP6a	260-380 mm
SP7a	320-440 mm
SP8a	380-500 mm

Fixed Pedestals	
Code	Height
SPF1	14 mm
SPF2	18 mm
SPF3	23 mm

Size of tile	Qty of pedestals/m2 (*)
40x40 cm	6,25
40x60 cm	4,17
50x50 cm	4
60x60 cm	2,78

Code	Description
SPR	Coupler 60 mm
EUS	Carcass holder
EUWF	Adjustable carcass holder 18 mm
EUWFH	Adjustable carcass holder 38 mm
SH10	Adjusting shim 1,3 mm
SH20	Adjusting shim 2 mm
SH50	Adjusting shim 5 mm
SC20	Slope corrector 2%
SC30	Slop corrector 3%
SCAUTO	Slope corrector automatic Max 4%
J20	Joint demountable 2 mm
J30	Joint demountable 3 mm
J47	Joint demountable 4,7 mm
J60	Joint demountable 6 mm
J80	Joint demountable 8 mm
J100	Joint demountable 10 mm
JPS30	Joint plus 3 mm
JPS47	Joint plus 4,7 mm
T1	Clips for hidden fixation for joist
LCS	Lock

(*) It is possible to add additional parts for finishing the parapets, walls, etc. For any further information, please do not hesitate to contact our technical office.

SPF1

14 mm



SPF2

18 mm



SPF3

23 mm



SP15-30

15-30 mm



SP0

26-35 mm




SP1

35-50 mm



SP2

50-80 mm



SP3

80-110 mm




SP3a

80-140 mm




SP4

140-200 mm



SP4a

140-260 mm



SP5a

200-320 mm




SP6a

260-380 mm




SP7a

320-440 mm



SP8a

380-500 mm



Carcass Holders

EUS

EUWF

EUWFH



Adjusting shims

SH10

SH20

SH50



Slope correctors

SC20

SC30

SCAUTO



Joints

J20-J30-J47
J60-J80-J100



Fixation clips

T1-T2



Lock

LCS




Coupler

SPR



SPF1

14 mm



Weight (gr)/Item
46

Quantity / Box
416



Dimension (cm) / Box :63x63x40
Net weight (kg)/Box : 19,14
Gross weight (kg)/Box : 20,80

Box/ Pallet
16

Quantity/
Pallet
6.656



Dimension (cm) / Pallet :105x128x215
Net weight (kg)/Pallet : 306,24
Gross weight (kg)/Pallet : 347,80


SPF2

18 mm



Weight (gr)/Item
76

Quantity / Box
320



Dimension (cm) / Box :63x63x40
Net weight (kg)/Box : 24,32
Gross weight (kg)/Box : 25,98

Box/ Pallet
16


Quantity/
Pallet
5.120



Dimension (cm) / Pallet :105x128x215
Net weight (kg)/Pallet : 389,12
Gross weight (kg)/Pallet : 430,68

SPF3

23 mm



Weight (gr)/Item
94

Quantity / Box
272



Dimension (cm) / Box :63x63x40
Net weight (kg)/Box : 25,57
Gross weight (kg)/Box : 27,23

Box/ Pallet
16


Quantity/
Pallet
4.352



Dimension (cm) / Pallet :105x128x215
Net weight (kg)/Pallet : 409,12
Gross weight (kg)/Pallet : 450,68

SP15-30

15-30 mm



Weight (gr)/Item
133


Quantity / Box
144



Dimension (cm) / Box : 61x41x41
Net weight (kg)/Box : 19,15
Gross weight (kg)/Box : 20,15

Box/ Pallet
25

Quantity/
Pallet
3.600



Dimension (cm) / Pallet : 105x125x220
Net weight (kg)/Pallet : 478,75
Gross weight (kg)/Pallet : 518,75


SP0

26-35 mm



Weight (gr)/Item
175


Quantity / Box
90



Dimension (cm) / Box : 61x41x41
Net weight (kg)/Box : 15,75
Gross weight (kg)/Box : 16,75

Box/ Pallet
25

Quantity/
Pallet
2.250



Dimension (cm) / Pallet : 105x125x220
Net weight (kg)/Pallet : 393,75
Gross weight (kg)/Pallet : 433,75

SP1

35-50 mm



Weight (gr)/Item
193


Quantity / Box
66



Dimension (cm) / Box : 61x41x41
Net weight (kg)/Box : 12,74
Gross weight (kg)/Box : 13,74

Box/ Pallet
25


Quantity/
Pallet
1.650



Dimension (cm) / Pallet : 105x125x220
Net weight (kg)/Pallet : 318,50
Gross weight (kg)/Pallet : 358,50

SP2

50-80 mm



Weight (gr)/Item
264


Quantity / Box
48



Dimension (cm) / Box : 61x41x43
Net weight (kg)/Box : 12,67
Gross weight (kg)/Box : 13,67

Box/ Pallet
25


Quantity/
Pallet
1.200



Dimension (cm) / Pallet : 105x125x230
Net weight (kg)/Pallet : 316,75
Gross weight (kg)/Pallet : 356,75

SP3

80-110 mm



Weight (gr)/Item
287


Quantity / Box
30



Dimension (cm) / Box : 61x41x43
Net weight (kg)/Box : 8,61
Gross weight (kg)/Box : 9,61

Box/ Pallet
25


Quantity/
Pallet
750



Dimension (cm) / Pallet : 105x125x230
Net weight (kg)/Pallet : 215,25
Gross weight (kg)/Pallet : 255,25


SP3a

80-140 mm



Weight (gr)/Item
339


Quantity / Box
30



Dimension (cm) / Box : 61x41x43
Net weight (kg)/Box : 10,17
Gross weight (kg)/Box : 11,17

Box/ Pallet
25


Quantity/
Pallet
750



Dimension (cm) / Pallet : 105x125x230
Net weight (kg)/Pallet : 254,25
Gross weight (kg)/Pallet : 294,25

SP4

140-200 mm



Weight (gr)/Item
396


Quantity / Box
18



Dimension (cm) / Box : 61x41x46,5
Net weight (kg)/Box : 7,13
Gross weight (kg)/Box : 8,28

Box/ Pallet
25


Quantity/
Pallet
450



Dimension (cm) / Pallet : 105x125x248
Net weight (kg)/Pallet : 178,25
Gross weight (kg)/Pallet : 222,00


SP4a

140-260 mm



Weight (gr)/Item
507


Quantity / Box
18



Dimension (cm) / Box : 61x41x46,5
Net weight (kg)/Box : 9,13
Gross weight (kg)/Box : 10,28

Box/ Pallet
25

Quantity/
Pallet
450




Dimension (cm) / Pallet : 105x125x248
Net weight (kg)/Pallet : 228,25
Gross weight (kg)/Pallet : 272,00

SPR


60 mm

Coupler



Weight (gr)/Item
85


Quantity / Box
126



Dimension (cm) / Box : 61x41x46,5
Net weight (kg)/Box : 10,71
Gross weight (kg)/Box : 11,86

Box/ Pallet
25

Quantity/
Pallet
3.150




Dimension (cm) / Pallet : 105x125x248
Net weight (kg)/Pallet : 267,75
Gross weight (kg)/Pallet : 311,50

SP5a

200-320 mm


SP5a = SP4a+1 SPR



SP6a

260-380 mm


SP6a = SP4a+2 SPR



SP7a

320-440 mm


SP7a = SP4a+3SPR



SP8a

380-500 mm

SP8a = SP4a+4SPR




EUS

H=18 mm

Carcass Holder



Weight (gr)/Item
20,4



Quantity / Box
250



Dimension (cm) / Box :21x63x40
Net weight (kg)/Box : 5,10
Gross weight (kg)/Box : 5,67


EUWF

H=18 mm

Adjustable carcass holder



Weight (gr)/Item
10



Quantity / Box
500



Dimension (cm) / Box :25x25x25
Net weight (kg)/Box : 5
Gross weight (kg)/Box : 5,17


EUWFH

H=38 mm


Adjustable carcass holder



Weight (gr)/Item
17,4



Quantity / Box
270



Dimension (cm) / Box :25x25x25
Net weight (kg)/Box : 4,70
Gross weight (kg)/Box : 4,87


SH10

H=1,3 mm

Shim



Weight (gr)/Item
16



Quantity / Box
600



Dimension (cm) / Box :22x22x22
Net weight (kg)/Box : 9,60
Gross weight (kg)/Box : 9,72


SH20

H=2 mm

Shim



Weight (gr)/Item
20



Quantity / Box
400



Dimension (cm) / Box :22x22x22
Net weight (kg)/Box : 8
Gross weight (kg)/Box : 8,12


SH50

H=5 mm

Shim



Weight (gr)/Item
40



Quantity / Box
170



Dimension (cm) / Box :22x22x22
Net weight (kg)/Box : 6,8
Gross weight (kg)/Box : 6,92


SC20

2%

Slope corrector



Weight (gr)/Item
90



Quantity / Box
45



Dimension (cm) / Box : 22x22x22
Net weight (kg)/Box : 4,05
Gross weight (kg)/Box : 4,17


SC30

3 %

Slope corrector



Weight (gr)/Item
100



Quantity / Box
35



Dimension (cm) / Box : 22x22x22
Net weight (kg)/Box : 3,50
Gross weight (kg)/Box : 3,62


SCAUTO

Max 4%

Auto Slope corrector



Weight (gr)/Item
75,4



Quantity / Box
30




Dimension (cm) / Box : 22x22x22
Net weight (kg)/Box : 2,26
Gross weight (kg)/Box : 2,38

Joints



Code	Thickness	Weight (gr) / quantity	Quantity/ boit	Net weight (kg) / Box	Weight Brute (kg) / Box
J20	2 mm	0,90	2.500	2,25	2,37
J30	3 mm	1,20	2.000	2,40	2,52
J47	4,7 mm	2,50	2.000	5,00	5,12
J60	6 mm	3,10	1.000	3,10	3,22
J80	8 mm	4,30	950	4,09	4,21
J100	10 mm	3,90	950	3,71	3,83



Dimension (cm) / Box :22x22x22


JPS30

3 mm

Plus Joint



Weight (gr)/Item
8,4



Quantity / Box
750



Dimension (cm) / Box :21x63x40
Net weight (kg)/Box : 6,30
Gross weight (kg)/Box : 6,87


JPS47

4,7 mm

Plus Joint



Weight (gr)/Item
12



Quantity / Box
750



Dimension (cm) / Box :21x63x40
Net weight (kg)/Box : 9,00
Gross weight (kg)/Box : 9,57

LCS
Lock



Weight (gr)/Item
200

Quantity / Box
126




Dimension (cm) / Box : 25x25x25
Net weight (kg)/Box : 7,98
Gross weight (kg)/Box : 8,15

T1
Installation clips



Weight (gr)/Item
4,2




Quantity / Box
1,900



Dimension (cm) / Box : 25x25x25
Net weight (kg)/Box : 7,98
Gross weight (kg)/Box : 8,15

T2
Installation clips



Weight (gr)/Item
4,2



Quantity / Box
1,900



Dimension (cm) / Box : 25x25x25
Net weight (kg)/Box : 7,98
Gross weight (kg)/Box : 8,15

Adjustable pedestals

Truck 1360 x 242 x 275 cm						
Plot	Hauteur disponible	qty/box	box/pallet	qty/palet	box dimension cm	Pallet dimension cm
SP15-30	15-30 mm	144	25	3.600	61x41x41	105x125x220
SP0	26-35 mm	90	25	2.250	61x41x41	105x125x220
SP1	35-50 mm	66	25	1.650	61x41x41	105x125x220
SP2	50-80 mm	48	25	1.200	61x41x43	105x125x230
SP3	80-110 mm	30	25	750	61x41x43	105x125x230
SP3a	80-140 mm	30	25	750	61x41x43	105x125x230
SP4	140-200 mm	18	25	450	61x41x46,5	105x125x248
sP4a	140-260 mm	18	25	450	61x41x46,5	105x125x248
SPR	60 mm	126	25	3.150	61x41x46,5	105x125x248

Qty pallet

40 HC Container 1200 x 234 x 269 cm				
qty/box	box/pallet	qty/palet	box dimension cm	Pallet dimension cm
144	25	3.600	61x41x41	105x125x220
90	25	2.250	61x41x41	105x125x220
66	25	1.650	61x41x41	105x125x220
48	25	1.200	61x41x43	105x125x230
30	25	750	61x41x43	105x125x230
30	25	750	61x41x43	105x125x230
18	25	450	61x41x46,5	105x125x248
18	25	450	61x41x46,5	105x125x248
126	25	3.150	61x41x46,5	105x125x248

Fixed pedestals

SPF1	14 mm	416	16	6.656	63x63x40	105x128x215
SPF2	18 mm	320	16	5.120	63x63x40	105x128x215
SPF3	23 mm	272	16	4.352	63x63x40	105x128x215

Total palet

416	16	6.656	63x63x40	105x128x215
320	16	5.120	63x63x40	105x128x215
272	16	4.352	63x63x40	105x128x215

Adjustable pedestals

40" Container 1200 x 234 x 239 cm						
Plot	Hauteur disponible	qty/box	box/palet	qty/pallet	box dimension cm	Pallet dimension cm
SP15-30	15-30 mm	144	25	3.600	61x41x41	105x125x220
SP0	26-35 mm	90	25	2.250	61x41x41	105x125x220
SP1	35-50 mm	66	25	1.650	61x41x41	105x125x220
SP2	50-80 mm	48	20	960	61x41x43	105x125x187
SP3	80-110 mm	30	20	600	61x41x43	105x125x187
SP3a	80-140 mm	30	20	600	61x41x43	105x125x187
SP4	140-200 mm	18	20	360	61x41x46,5	105x125x201
sP4a	140-260 mm	18	20	360	61x41x46,5	105x125x201
SPR	60 mm	126	20	2.520	61x41x46,5	105x125x201

Qty pallet

20" Container 589 x 234 x 239 cm				
qty/box	box/palet	qty/pallet	box dimension cm	Pallet dimension cm
144	25	3.600	61x41x41	105x125x220
90	25	2.250	61x41x41	105x125x220
66	25	1.650	61x41x41	105x125x220
48	20	960	61x41x43	105x125x187
30	20	600	61x41x43	105x125x187
30	20	600	61x41x43	105x125x187
18	20	360	61x41x46,5	105x125x201
18	20	360	61x41x46,5	105x125x201
126	20	2.520	61x41x46,5	105x125x201

Fixed pedestals

SPF1	14 mm	416	16	6.656	63x63x40	105x128x215
SPF2	18 mm	320	16	5.120	63x63x40	105x128x215
SPF3	23 mm	272	16	4.352	63x63x40	105x128x215





Qty pallet

416	16	6.656	63x63x40	105x128x215
320	16	5.120	63x63x40	105x128x215
272	16	4.352	63x63x40	105x128x215

Accessoires

	Dimension	qty/box	box dimension cm
EUS		250	21x63x40 cm
EUFW	18 mm	500	25x25x25 cm
EUWFH	38 mm	270	25x25x25 cm
SH10	1,3 mm	600	22x22x22 cm
SH20	2 mm	400	22x22x22 cm
SH50	5 mm	170	22x22x22 cm
SC20	2%	45	22x22x22 cm
SC30	3%	35	22x22x22 cm
SCAUTO	max 4%	30	22x22x22 cm
J20	2 mm	2.000	22x22x22 cm
J30	3 mm	2.000	22x22x22 cm
J47	4,7 mm	1.500	22x22x22 cm
J60	6 mm	1.000	22x22x22 cm
J80	8 mm	1.000	22x22x22 cm
J100	10 mm	1.000	22x22x22 cm
JPS30	3 mm	750	21x63x40 cm
JPS47	4,7 mm	750	21x63x40 cm
T1,T2		1.900	25x25x25 cm
LCS		100	22x22x22 cm

References



SurPlot

www.surplot.com

e-mail: info@surplot.com

T.+90 212 452 20 60 F.+90 212 452 20 27

ST İTHALAT İHRACAT PAZARLAMA DIŞ TİC. SAN. LTD. ŞTİ.



ISO 9001 : 2008