



ACO Multislot


DATA SHEET

ACO Multislot channels are designed specifically to meet the drainage demands of multi-storey and underground car parks.

This low profile C 250 Load Class channel design is manufactured from corrosion-resistant polymer concrete and has no moveable parts, which reduces overall noise. Accessible and easy to inspect sealing groove make this the ideal channel for these demanding locations, which require robust high-performance solutions.

Benefits


- Polymer concrete system, easy to seal
- Corrosion resistant system
- Fast and easy assembly
- No moving parts that can cause noise
- ACO Multislot is available in three colours (natural, grey, black)
- Recommended solution for concrete and asphalt surfaces






























Applications

- Underground, mid and top tiers of multi-level car parks

ACO Multislot System Overview



Product Code	Description	Length mm	Width Overall mm	Depth Overall mm	Pack Quantity	Weight kg
ACO Multislot						
 135213	ACO Multislot channel	1000	150	50	1	12.2
 135217						
 135221						
 135214	ACO Multislot channel with outlet	1000	150	50	1	12.1
 135218						
 135222						
 135215	ACO Multislot end cap for the start of the channel	20	150	50	1	0.35
 135219						
 135223						

Product Code	Description	Length mm	Width Overall mm	Depth Overall mm	Pack Quantity	Weight kg
ACO Multislot						
 135216						
 135220	ACO Multislot end cap for the end of the channel	40	150	50	1	0.5
 135224						
 135226						
 135229	ACO Multislot L type connection element	200	200	50	1	3
 135232						
 135227						
 135230	ACO Multislot T type connection element	200	200	50	1	2.9
 135233						
 135228						
 135231	ACO Multislot adaptor to change laying direction	200	150	50	1	2.5
 135234						
 01043	ACO Multislot outlet with double clamping flange D110mm.	360	360	250	1	4
 449195	ACO Multislot 150 gully including cover and foul air trap	215	215	179	1	2.9
 449196	ACO Multislot 150 gully end including cover and foul air trap	215	215	179	1	3
 449197	ACO Multislot 150 installation cover	1000	150	25.7	100	1.8
 447813	ACO Multifix 1 - galvanised steel	100	310	331	100	1.5
 448753	ACO Multifix 1 - stainless steel	100	310	331	100	1.81

ACO Water Management Contacts:

Sales: customersupport@aco.co.uk

Technical: technical@aco.co.uk

Tel: 01462 816666

www.aco.co.uk

ACO. we care for water

